AUG. 25. 2006 3:58PM

Attorney's Docket No.: 18524-002001 Client's Ref. No.: VIG/BI-60777US

OFFICIAL COMMUNICATION FACSIMILE:

RECEIVED CENTRAL FAX CENTER

OFFICIAL FAX NO: (571) 273-8300

AUG 2 5 2006

Number of pages including this page

Applicant: Jean-Patrick Azpitarte

Art Unit: 2837

Serial No.: 10/620,649

Examiner: Anthony J. Salata

Filed

: July 16, 2003

Confirmation No.: 1481

Title

: SAFETY SYSTEM FOR MONITORING THE STATE OF ELEVATOR

LANDING DOORS

MAIL STOP ISSUE FEE

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

An Amendment After Allowance Pursuant to 37 C.F.R §1.312 dated August 25, 2006 is attached.

Respectfully submitted,

Date: August 25, 2006

Mandy Juhang Reg. No. 45,884

Fish & Richardson P.C. 225 Franklin Street Boston, MA 02110

Telephone: (617) 542-5070

Fax: (617) 542-8906

21410634.doc

NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at (617) 542-5070 to arrange for its return. Thank you.

AUG. 25. 2006 3:59PM

Attorney's Docket No.: 18524-002001 / VIG/BI-60777US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE RECEIVED CENTRAL FAX CENTER

Applicant: Jean-Patrick

Art Unit :

2837

Azpitarte

Examiner:

Anthony J. Salata

AUG 2 5 2006

Serial No.: 10/620,649 Filed: July 16, 200 Confirmation No.:

1481

Supplemental Notice of Allowance Date: August 16, 2006

Title

: July 16, 2003 Supplemental Not

: SAFETY SYSTEM FOR MONITORING THE STATE OF ELEVATOR

LANDING DOORS

## MAIL STOP ISSUE FEE

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

## AMENDMENT AFTER ALLOWANCE PURSUANT TO 37 C.F.R. §1.312

Please amend the application as indicated on the following pages.

## CERTIFICATE OF TRANSMISSION BY FACSIMILE

					corresponde						
csimile clow.	to	the	Patent	and	Trademark	Office	٥n	the	date	indica	tcd

Date of Transmission

Signature

Cassie Chandler

Typed or Printed Name of Person Signing Certificate